



RETAIL solutions

DISTRIBUTION & STORAGE

**Global Expertise
Innovating Applications
Distinctive Design**





PRODUCT DEVELOPMENT

We Manufacture wide range products of both standard and bespoke.
Many of our Products are suitable for multiple applications.
Our Product have been used in many market sectors some of which
are listed below.



Retail



Food Service



Automotive



Food Retail



Warehousing



Postal



Couriers



Laundry



Recycling



Logistics



Dairy



Internet

Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com



BROCHURE IS SUB DIVIDER INTO THREE MAJOR CATEGORIES



1. DISTRIBUTIONAL PRODUCTS RANGE

In this category you will come to know about the products with multiple operational properties that we have developed mainly for Distributional purposes.



2. STORAGE PRODUCTS RANGE

In this category you will come to know about the products which can withstand maximum load that we have developed mainly for Storage purposes.



3. E-COMMERCE PRODUCTS RANGE

In this category you will come to know about the products with particular operational properties that we have developed mainly for E-Commerce purposes.



TABLE OF CONTENT

1. NESTABLE ROLL CAGE (JRD/NRC/001)
2. NESTABLE ROLL CAGE 11L (JRD/NRC/11L/002)
3. ROLL CAGE (JRD/RC/003)
4. NESTABLE ROLL CAGE LL/TT C (JRD/NRC/LLTT/004)
5. NESTABLE ROLL CAGE 10K LL/TT C. (JRD/NRC/10KLLTT/005)
6. NESTABLE ROLL CAGE FULLY ENCLOSED (JRD/NRC/FE/006)
7. DOUBLE DOOR NESTABLE ROLL CAGE (JRD/NRC/DD/007)
8. NESTABLE ROLL CAGE 3 SIDED (JRD/NRC/3S/008)
9. SPECIAL / LAUNDRY ROLL CAGE (JRD/SRC/009)
10. SELF STANDING CAGE (JRD/SSC/010)
11. JUMBO ROLL CAGE (JRD/JRC/011)
12. DEMOUNTABLE ROLL CAGE (JRD/DRC/012)
13. PUSHTAINER (JRD/PT/013)
14. POSTAL WAREHOUSE TROLLEY (JRD/PWT/014)
15. HIGH ROLL TALLER (JRD/HRT/015)
16. Z BASE ROLL CAGE (JRD/ZBRC/016)
17. NESTABLE JUMBO ROLL CAGE (JRD/NJRC/017)
18. JUMBO TROLLEY (JRD/JT/018)
19. NESTABLE ROLL CAGE ANGLED SHELF (JRD/NRC/AS/019)





Characteristic :-

- This product is ideal for FMGC Warehouse , Supermarket , Hypermarket etc.
- External Dimension are :- L - 34.3" , W - 27.6" , H - 66.9"
- Load Capacity of this product is 300kg.
- Middle Shelf can be easily adjusted to two different position due to which the division area inside Roll cage can be adjusted at will.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6".
- Roll Cage can be Collapsible as well as Nestable when it is in a empty state, Due to which Roll cage consume less space at idle condition Hence Minimizing the Storage Area.
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.



Characteristic :-


- This product is ideal for Couriers companies E-Commerce etc .
- External Dimension are : L - 43.5" , W - 27.5" , H - 67"
- Load Capacity of this product is 300kg.
- Middle Shelf can be easily adjusted to two different position due to which the division area inside Roll cage can be adjusted at will.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6".
- Roll Cage can be Collapsible as well as Nestable when it is in a empty state, Due to which Roll cage consume less space at idle condition Hence Minimizing the Storage Area.
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.

Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com



Accessories



Shelf 69x80 cm



Rear Section 69x150 cm


Characteristic :-

- Highly rigid laterals made up of steel tube & wire rod, forming a 11.8" × 5.9" mesh.
- Highly rigid Compact System for lateral locking on the base.
- Ticket holders on the laterals for merchandise identification.
- High quality, high shine electroplated zinc finish to protect against oxidation.
- Sturdy base made up from steel wire rod, forming a 4.9" × 1.6" mesh.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 4" or 5".
- When empty return, the laterals of 10 elements can be placed on a roll cage and the base sections can be stacked on top of each other allowing 11 Roll Cage occupying the Space of 2.



Characteristic :-

- This product is design to work along with Liftliner as well as Tugger train.
- External Dimension are:-L - 46", W - 39.5", H - 76" (Total Length will be 55" if Handle is included)
- Load carrying capacity of this product is 400 KG.
- Roll cage is equip with dual front door due to which there is an easy access to the separated product.
- Both the door is equipped with a latch mechanism due to which roll cage is secured from package falling while operating.



Characteristic :-

- Middle Shelf can be easily adjusted to two different position due to which the division area inside Roll cage can be adjusted at will.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6".
- Roll Cage can be Collapsible as well as Nestable when it is in a empty state, Due to which Roll cage consume less space at idle condition Hence Minimizing the Storage Area.
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.
- The Two shelf which is the bottom shelf and the Middle Shelf is covered with sheet metal for placing the product with ease and to prevent falling of small package through shelf mesh.



Characteristic :-

- This product is design to work along with Liftliner as well as Tugger train.
- External Dimension are:-L - 46.1" _ W - 39.6" _ H - 56.9"
- Load carrying capacity of this product is 400 KG.
- Roll cage is designed to store and distribute a small amount of packages at a time.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6".
- Roll Cage can be Collapsible as well as Nestable when it is in a empty state, Due to which Roll cage consume less space at idle condition Hence Minimizing the Storage Area.
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.



Characteristic :-

- External Dimension are : L - 34.3" _ W - 27.6" _ H - 66.9"
- Load Capacity of this product is 300kg.
- Middle Shelf can be easily adjusted to two different position due to which the division area inside Roll cage can be adjusted at will.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 5".
- Roll Cage can be Collapsible as well as Nestable when it is in a empty state, Due to which Roll cage consume less space at idle condition Hence Minimizing the Storage Area.
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.
- Roll cage is equipped with a top enclose due to which the package inside the roll cage is fully secured.



Characteristic :-

- External Dimension are : L - 27.6" _ W - 35.4" _ H - 63.0"
- Load Capacity of this product is 300kg.
- Roll cage is equipped with Double Door due to which it is compatible for storing and distributing shorter as well as wider package.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 5".
- Roll Cage can be Collapsible as well as Nestable when it is in a empty state, Due to which Roll cage consume less space at idle condition Hence Minimizing the Storage Area.
- The door is equipped with a latch mechanism due to which roll cage is secured from package falling while operating.
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.

Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com



Characteristic :-

- External Dimension are : L - 34.3" _ W - 27.6" _ H - 53.1"
- Load Capacity of this product is 300kg.
- Roll cage is designed to transport large product usually in crates around a warehouse.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 5".
- Roll Cage can be Collapsible as well as Nestable when it is in a empty state, Due to which Roll cage consume less space at idle condition Hence Minimizing the Storage Area.
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.
- Due to it compactness it can be easily adjusted in a minimum vertical area.




Special Roll Cage



Laundry Roll Cage

Characteristic :-

- Highly rigid Compact System for lateral locking on the base.
- External Dimension are : L - 27.2" _ W - 31.5" _ H - 66.5"
- Useful Internal Space:- L - 24.3" _ W - 31.5" _ H - 58.9"
- Capacity - 738dm³, Unladen Weight - 35kgs
- Load Capacity of this product is 500kg.
- High quality, High shine electroplated zinc finish to protect against oxidation.
- Sturdy base made up from steel wire rod.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 4".



Characteristic :-

- External Dimension are : L - 24.6" _ W - 24.6" _ H - 70.9"
- Load Capacity of this product is 500kg.
- Shelf is equip with Divider as a result packages can be separated on the same shelf.
- The shelf can be easily adjusted to different positions based on requirement.
- Shelf is equip with a Barcode attachment area for product identification.
- Cage is designed in such a way that component can be dismantle from the base and can be place separately due to which it acquire minimum storage area when it is in a idle condition.
- Highly rigid Compact System for lateral locking on the base.
- Sturdy base made up from steel wire rod.
- Base can be place freely on the surface or it can be fixed on to the surface using the attachment provided.



Characteristic :-

- External Dimension are : L - 35.4" _ W - 47.2" _ H - 74.8"
- Load Capacity of this product is 500kg.
- Shelf is equip with a barrier to prevent the package falling while operating.
- Shelf has a property of assemble in straight as well as in angular position.
- Shelf can be easily adjusted to different positions based on requirement.
- Roll Cage is designed in such a way that component can be dismantle from base and can place separately due to which it acquire minimum storage area when it is in a idle condition.
- Roll cage is designed in such a way that transportation of roll cage can be done using forklift.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 7.5".



Characteristic :-

- External Dimension are :L - 17.5" _ W - 32.7" _ H - 66.9"
- Load Capacity of this product is 500kg.
- Shelf is equip with Divider as a result packages can be separated on the same shelf.
- Shelf is equip with a Barcode attachment area for product identification.
- Roll Cage is designed in such a way that component can be dismantle from base and can place separately due to which it acquire minimum storage area when it is in a idle condition.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6".
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.



Characteristic :-

- External Dimension are :- L - 51.2" _ W - 23.6" _ H - 57.1"
- Useful Internal Space:- L - 44.1" _ W - 21.7" _ H - 52.0"
- Load Capacity of this product is 500kg.
- Capacity - 815dm³ Unladen Weight - 35kgs
- Highly rigid laterals made up from steel wire rod and tube, forming a 2.8"x3.5" mesh.
- Sturdy base structure made up from steel with wooden shelf.
- Lateral ticket holders for merchandise identification.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6".
- High quality, high shine electroplated zinc finish to protect against oxidation.
- Accessories:- Metal wire rod shelf, Pulling Device, Desk top for identification , Support with wooden shelf.



Characteristic :-

- External Dimension are : L - 42.2" _ W - 22.4" _ H - 43.0"
- Load Capacity of this product is 300kg.
- Easy access: A dual door at the front side as well as in the back side from lateral to lateral allows total access to the products.
- Trolley can be Collapsible when it is in a empty state, Due to which Trolley consume less space at idle condition Hence Minimizing the Storage Area.
- Trolley is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.
- Wheel used in our Trolley is a High quality Polyurethane caster wheels with wheel Dia of 5".



Characteristic :-

- External Dimension are :- L - 64.4" _ W - 28.6" _ H - 70.3"
- Useful Internal Space:- L - 62.6" _ W - 27.6" _ H - 61.2"
- Capacity 1730 dm³, unladen weight 86kg.
- Load Capacity 750kg.
- Heavy duty side sections made of steel rod and tube, forming a 1.8"x6.7" mesh.
- Solid metal structure made of steel rod with a base mesh of 1.2"x2.8".
- Side mounted label holders for identifying the goods contained.
- Strips down completely for easy transportation and storage.
- High quality, high shine electroplated zinc finish to protect against oxidation.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 5".



Characteristic :-

- External Dimension are : L - 32.8" _ W - 29.9" _ H - 75.6"
- Load carrying capacity of this product is 300kg.
- Base shelf is made up from steel wire rod assembled to base in such a way that it gain a rotating property.
- Available in Two different Concepts
 1. Z-BASE ROLL CAGE With Front Door.
 2. Z-BASE ROLL CAGE Without Front Door Locked using Belt.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6". All wheel has a swivel property along with braking mechanism.



Characteristic :-

- Both Concept is equipped with a Middle Shelf for separation of product on same Roll cage.
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.
- Highly rigid Compact System for lateral locking on the base.
- Roll Cage has a Nestable property when it is in a empty state, Due to which Roll cage consume less space at idle condition Hence Minimizing the Storage Area.
- Easy access: An opening from the front side as well as from the back side from lateral to lateral allows total access to the products.



Characteristic :-

- External Dimension are:-L - 41.3" _ W - 63.4" _ H - 74.8".
- Load carrying capacity of this product is 400 KG.
- Roll Cage possess the collapsible property due to which it can be folded and nested into a similar cage as a result limited area is required for storage.
- Roll cage consist of a tow attachment by which similar cage can be connected to each other and pull simultaneously by means of tow train.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6".
- Roll cage is Powder Coated to protect against oxidation.



Characteristic :-

- External Dimension are:-L - 39.8" _ W - 63.4" _ H - 74.8".
- Load carrying capacity of this product is 500 KG.
- Jumbo Trolley Front is covered by strap net for package safety it can easily be attach and detach from front provision for package placement.
- Jumbo Trolley consist of a tow attachment by which similar cage can be connected to each other and pull simultaneously by means of tow train.
- Wheel used in our Jumbo Trolley is a High quality Polyurethane caster wheels with wheel Dia of 6".
- Roll cage is Powder Coated to protect against oxidation.

Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com



Characteristic :-

- External Dimension are:-L - 47.8" _ W - 36.4" _ H - 82.7".
- Load carrying capacity of this product is 400 KG.
- Roll Cage possess the collapsible property due to which it can be folded and nested into a similar cage as a result limited area is required for storage.
- Package place on the shelf can easily be access from both side of Roll Cage.
- Roll cage can be maneuver and steer easily by means of Handle.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6".
- Roll cage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.



TABLE OF CONTENT

1. METAINER (JRD/MTN/001)
2. WOODEN PALLET CAGE CONTAINER (JRD/WPCC/002)
3. PET PREFORM CONTAINER (JRD/PPC/003)
4. MUVTAINER (JRD/MUV/004)
5. MINIMUVTAINER (JRD/MMUV/005)
6. I MUVTAINER (JRD/IMUV/006)
7. I NIKTAINER (JRD/INK/007)
8. PALLET CONVERTER (JRD/PC/008)
9. STILLAGE (JRD/STG/009)
10. BOLTLESS RACK (JRD/BR/010)





Characteristic :-

- External Dimension are:- L - 45.7" _ W - 33.5" _ H - 39.0"
- Also Available in size L - 45.7" _ W - 33.5" _ H - 30.3"
- Load capacity of this product is 1000kg
- Easy access: An opening at the front side from lateral to lateral which allows total access to the products.
- Metainer can be Collapsible, When it is in a empty state the lateral section which is attached to base fold inside , Due to which Metainer consume less space at idle condition Hence Minimizing the Storage Area.
- Metainer contain the Stackable property which allow metainer to be stack one above another as a result it utilize vertical storage area.
- Metainer Can be stacked 3 units high with a useful load of 1000kg per metainer representing a total of 3000kg.
- Metainer is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.



Characteristic :-

- External Dimension are:- L - 47.2" _ W - 31.5" _ H - 63.0"
- Load capacity of this product is 500kg.
- Easy access: An opening at the front side and the back side from lateral to lateral which allows total access to the products.
- Cage container is adaptable to standard 47.2"x31.5" pallet.
- Locking System prevent the structure from falling out of Wooden Pallet.
- Structure is designed in such a way that it can be dismantle from one pallet and assemble to another pallet with ease.
- Due to its modular property cage container structure can be easily dismantle from wooden pallet and can be place separately due to which it acquire minimum storage area when it is in a idle condition.



Characteristic :-

- External Dimension are:- L - 47.2" _ W - 39.4" _ H - 41.3"
- Also Available in size L - 47.2" _ W - 39.4" _ H - 47.2"
- Load capacity of this product is 1000kg.
- Easy access: An opening at the front side from lateral to lateral which allows total access to the products.
- Container can be Collapsible, When it is in a empty state the lateral section which is attached to base fold inside , Due to which Container consume less space at idle condition Hence Minimizing the Storage Area.
- Container contain the Stackable property which allow Container to be stack one above another as a result it utilize vertical storage area.
- Metainer Can be stacked 3 units high with a useful load of 1000kg per metainer representing a total of 3000kg.
- PP Sheet Installed Inside the Container.
- Container is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.

Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com



Characteristic :-

- External Dimension are:- L - 45.7" _ W - 33.5" _ H - 39.0"
- Useful Internal Space:- L - 42.1" _ W - 31.5" _ H - 34.1"
- Load Capacity of this product is 1000kg.
- Capacity - 740dm³ Unladen Weight - 48kgs
- Stackable when empty as a result it utilize vertical storage area.
- Muvtainer can be Collapsible, When it is in a empty state the lateral section which is attached to base fold inside , Due to which the overall height is reduced to 11.2"
- Easy access: An opening at the front side from lateral to lateral which allows total access to the products.
- Designed to allow stacking on warehousing shelving.
- Muvtainer Metallic structure in steel wire rod forming a base mesh of 2.2"x2.0" and 2.3"x3.9" lateral mesh (interior).
- High Shine electroplated zinc finish to protect against oxidation.
- Can be stacked 3 units high and with a useful load of 1000kg per muvtainer, representing a total of 3000kg .



Characteristic :-

- External Dimension are :- L - 34.4" _ W - 22.1" _ H - 26.0"
- Useful Internal Space :- L - 31.6" _ W - 20.4" _ H - 20.9"
- Load Capacity of this product is 300kg.
- Capacity - 220dm³ Unladen Weight - 20kgs
- Stackable when empty as a result it utilize vertical storage area.
- Mini Muvtainer Metallic structure in steel wire rod forming a base & lateral mesh of 2.2"x2.0". (Interior)
- Muvtainer can be Collapsible, When it is in a empty state the lateral section which is attached to base fold inside , Due to which the overall height is reduced to 10.4"
- Easy access: An opening at the front side from lateral to lateral which allows total access to the products.
- Designed to allow stacking on warehousing shelving.
- High Shine electroplated zinc finish to protect against oxidation..



Characteristic :-

- External Dimension are:- L - 25.2" _ W - 31.1" _ H - 33.1"
- Useful Internal Space :- L - 21.9" _ W - 30.3" _ H - 27.8"
- Load Capacity of this product is 450kg.
- Capacity - 305dm³ Unladen Weight - 24kgs
- Metal base made of steel wire rod, forming a 1.2"x4.3" mesh.
- Laterals made up from steel wire rod, forming a 2.0"x2.8" mesh
- High shine electroplated zinc coating.
- Easy access: An opening at the front side from lateral to lateral which allow total access to the products.
- Can be stacked 4 units high with a useful load of 450 kg per unit representing the total of 1800 kg
- Collapsible when empty, with no need to remove locks or lateral solutions.
- The Base of I Muvtainer is 28.6"x24.8"x5.2" High having Structure tube of 1.6"x1.6" with a U Steel.



Characteristic :-

- External Dimension are:- L - 48.2" _ W - 32.5" _ H - 35.0"
- Useful Internal Space :- L - 45.1" _ W - 29.3" _ H - 33.5"
- Load Capacity of this product is 1000kg.
- Capacity - 741dm³ Unladen Weight - 46.6kgs
- Structure made up from steel wire rod, forming a 3.5"x3.1" mesh (interior), high shine electroplated zinc finish.
- Adaptable to standard 47.2"x31.5" pallet.
- Stacking system: Prevents them from falling on to each other when stacked.
- Easy access: An opening at the front side, from lateral to lateral which allows total access to the products.
- Collapsible when empty without having loose pieces.

Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com



Characteristic :-

- External Dimension are : L - 24.6" _ W - 24.6" _ H - 70.9"
- Load Capacity of this product is 1000kg.
- Ideal for storing or transporting square or uniformly shaped merchandise as well as rolled goods.
- Utilize vertical storage space by safely stacking these racks up to 5 high.
- Reduce handling time by moving more material with fewer moves.
- Storage area can be used wisely with the help of pallet converter the movement of the pallet converter as well as the stacking can be done using forklift.



Characteristic :-

- Portable for easy set-up and in plant storage.
- Rugged design prevents product damage.
- Brakes down for easy storage when not in use, saving valuable floor space for other uses.
- Available in an variant sizes, weight capacities, and colors to adapt to any type of product.
- Many options available like forklift stirrups, decking, bag hooks, side containment frames, casters, etc.



Characteristic :-

- External Dimension are : L - 55.1" _ W - 59.1" _ H - 49.0"
- Load Capacity of this product is 500kg.
- Easy access: An opening at the front side as well as the back side from lateral to lateral which allows total access to the products.
- The movement of the stillage as well as the stacking can be done using forklift.
- Stillage can be Collapsible when it is in a empty state, Due to which stillage consume less space at idle condition Hence Minimizing the Storage Area.
- Utilize vertical storage space by safely stacking one above another.
- Stillage is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.
- Available in an variant sizes, weight capacities, and colors to adapt to any type of product.



Characteristic :-

- External Dimension are : L - 39.4" _ W - 19.7" _ H - 78.7"
- Load Capacity of this product is 50kg per shelf.
- This product can be assembled without the need for nuts and bolts, making it simple and hassle-free to put together.
- The PP sheet is affixed onto the rack, enhancing its functionality.
- Boltless rack offer versatility, easy installation, and the ability to reconfigure or expand the storage space as required, making them ideal for organizing items ranging from lightweight to heavy-duty loads.
- Boltless rack is Powder Coated to protect against oxidation.



TABLE OF CONTENT

1. THREE TIER STAND (JRD/TTS/001)
2. SPRING ACTION TROLLEY (JRD/SAT/002)
3. APPLIANCE TROLLEY (JRD/AT/003)
4. PICKUP TROLLEY (JRD/PUT/004)
5. LITE SHOPPING TROLLEY (JRD/LST/005)
6. PICK AND PLACE TROLLEY (JRD/PPT/006)
7. WAREHOUSE TROLLEY (JRD/WT/007)
8. REPLENISHMENT TROLLEY (JRD/RT/008)
9. DOLLY (JRD/DLY/009)
10. FOLDABLE STACKABLE BASKET (JRD/FSB/010)
11. STACKABLE BASKET (JRD/SB/011)
12. DESK TYPE (JRD/DT/012)





Characteristic :-

- This product is ideal for simplifying the primary and secondary package sorting processes for the ecommerce industry identifying for different destinations.
- External Dimension are:- L - 39.4" _ W - 31.5" _ H - 77.6"
- Load capacity of this product is 300kg.
- Dual Lateral opening of Front door is installed per shelf area for easy package movement.
- Stand can be organize and transport around warehouse by means of bopt.
- Stand is covered by mesh structure by which it enhance the visibility of the product place inside.
- Stand is powder coated to protect against oxidation. It is available in variant colors to adapt to any type of product.



Characteristic :-

- External Dimension are:- L - 39.4" _ W - 39.4" _ H - 35.4"
- Load capacity of this product is 50kg.
- The shelf oscillates up and down in response to the addition or subtraction of weight, propelled by the force of a spring mechanism.
- The PP sheet is affixed onto the trolley, enhancing its functionality and providing an additional layer of protection
- Wheel used in our trolley is a High quality Polyurethane caster wheels with wheel Dia of 5".
- Trolley is powder coated to protect against oxidation.




Characteristic :-

- External Dimension are:- L - 48.4" _ W - 40.6" _ H - 82.7"
- Load capacity of this product is 500kg.
- The trolley features a double-door configuration, providing enhanced accessibility and versatility for users
- The trolley is transported utilizing a BOPT (Battery Operated Pallet Truck), ensuring efficient and effortless movement within warehouse or industrial settings
- The trolley is equipped with tow capabilities, allowing it to be conveniently transported or pulled along by another vehicle or equipment
- Wheel used in our trolley is a High quality Polyurethane caster wheels with wheel Dia of 4".

Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com



Characteristic :-

- This product is designed to work on a compact area where the Turning radius is minimum.
- External Dimension are:- L - 24.5" _ W - 15.9" _ H - 30.9"
- Load capacity of this product is 50kg .
- Pickup trolley is equip with a device holder to place the scanner device while using the trolley.
- Wheel used in our Roll cage is a High quality Polyurethane caster wheels with wheel Dia of 6". All wheel has a swivel property.
- Trolley is equipped with a Handle with which it can be moved with ease



Characteristic :-

- Pickup Trolley is designed in such a way that it can hold a maximum of three crate only.
- Trolley is Nestable when it is in a empty state, Due to which Trolley consume less space at idle condition Hence Minimizing the Storage Area.
- Trolley is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation.
- Easy Access:- A sufficient clearance at the front side of trolley allow easy access to the product inside the crate.
- Pickup Trolley is designed in such a way that Crate can be load and unload to trolley with ease.



Characteristic :-

- External Dimension are:- L - 22.0" _ W - 15.2" _ H - 37.8"
- Load capacity of this product is 50kg.
- Trolley is designed in such a way that it can hold a maximum of two crate only.
- Trolley is Nestable when it is in a empty state, Due to which Trolley consume less space at idle condition Hence Minimizing the Storage Area.
- Trolley is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation. Available in a variant colors to adapt to any type of product.
- Easy Access:- Designed in such a way a that the crate will held at a particular angle which allow easy access to the product.
- Wheel used in Trolley is a High quality Polyurethane caster wheels with wheel Dia of 4". All wheel has a swivel property.



Characteristic :-

- External Dimension are:- L - 39.4" _ W - 23.6" _ H - 55.1"
(Including Handle the Length will be 47.2")
- Load capacity of this product is 100kg.
- Easy Access:- Designed in such a way a that the basket can be place from both the side which allow easy access to the product.
- Trolley is Powder Coated with Epoxy Metallic silver Grey to protect against oxidation. Available in a variant colors to adapt to any type of product.
- Trolley is designed for 8 Tray Shelves spacing.
- Trolley is equip with Rubber buffer wheel to all corners.
- Wheel used in Trolley is a High quality Polyurethane caster wheels with wheel Dia of 6". All wheel has a swivel property.



Characteristic :-

- External Dimension are:- L - 55.1" _ W - 30.7" _ H - 41.3"
- Two versions available, based on mobility of the type of casters fitted:
- For normal circulation area : with two front casters and two rear swivel casters, allowing it to be pushed in a straight line and around the corners.
- For circulation in small areas : with four swivel casters, two front two rear, and a fifth fixed caster, allowing the trolley to be pushed in a straight line and turn in circle with a center fixed caster.
- In both the versions the casters are of 6.3" . with needle bearing axis, allowing the trolley to be moved with ease even when fully loaded.
- Spacious platform 48.4"x25.6" reinforced with a steel metal tube frame to support the goods.

Accessories:-

Basket TR-CAM
Dimensions: 22.8"x9.1"x9.8" in High
Capacity: 25l.

ABS Docket Support
Dimension: 15.4"x11"

Basket SP-CAM
Dimensions: 28.4"x9.1"x3.1" High
Capacity: 10.5l.

Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com



Characteristic :-

- External Dimension are:- L - 35.5" _ W - 21.5" _ H - 36.5"
- Two type of platform to choose from:-1. wooden (PMD) water resistant.2. Grid of wire rod (PVR) with high shine, double electroplated zinc with protective transparent varnished coating dried in oven.
- The Trolley structure is made up from two steel tube frames firmly attached in to each other.
- The horizontal base frame has a double high shine electroplated zinc protective coating. The vertical frame, which forms the handle, is painted in epoxy color.
- Wire rod platform 30.5" × 17.7" to support the goods
- Equipped with 5" swivel casters, wear resistant that do not mark the floor.

Accessories:-

Basket TR-CAM
Dimensions: 17.7" x 9" x 10" High
Capacity: 20L.

Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com




Replenishment Trolley
300l writing board.

Characteristic :-

- Sturdy soft-touch handle, resistant to knocks and scrapes. The ends are made of polyamide(nylon) and the central section in ABS, on which the brand or logotype can be engraved
- Foldable desktop of particle board coated on both sides with white melamine
- Equipped with 5" swivel wheels, wear resistant that do not mark the floor.
- Steel wire rod basket made up from, a Dia 0.4" rod around the whole top to project hands , packets , etc.
- Highly stable, reinforced base of tube and wire rod
- High quality, high shines, double electroplated zinc weatherproof protective coating at the same time avoiding the oxidation.


Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com



Characteristic :-

- External Dimension are:- L - 32" , W - 23" , H - 6.7"
- Load capacity of this product is 100kg.
- Can stack up to 10 Crate as result maximizing the storage capacity.
- Dolly is designed in such a way that it can be interconnected to each other and can Drag Simultaneously as a result reducing the transportation time.
- Wheel used in Dolly is a High quality Polyurethane caster wheels with wheel Dia of 4". All wheel has a swivel property along without braking mechanism.
- Available in an variant colors to adapt to any type of product.



Characteristic :-

- External Dimension are:- L - 31.5" _ W - 19.7" _ H - 5.1" ,
Load Capacity :- 250kg , Capacity :- 410l.
- Also Available in size L - 21.7" _ W - 19.7" _ H - 5.1" ,
Load Capacity :- 200kg , Capacity :- 290l.
- Steel wire Rod Structure
- Back panel reinforced with 1.2" wide bars. Fully Foldable, occupying minimum space when not in use.
- Double Coated: High Shine electroplated zinc protected coating with transparent lacquer.
- 3 Unit high stackable with maximum load.
- Accommodate dividers to display various products.
- Possible to stack 26.0"x25.6" or 17.3"x25.6" stackable baskets on top of them.



Stackable Basket Divider



Characteristic :-

- Steel wire rod structure.
- Easy access to contents even when stacked.
- option to fit casters to the base
- Impact resistant

Two Types of finish to choose from:-

- High shine double electroplated zinc protective coating.
- Epoxy coating in various colors.

Use:-

- Directly onto shelving units for easy restocking.
- Stacked for product display and promotion.

Model Sizes along with capacity

11.8x19.7x9.8 - 371	23.6x19.7x9.8 - 751
11.8x25.6x9.8 - 501	23.6x25.6x9.8 - 1001
15.7x19.7x9.8 - 501	19.7x19.7x15.7 - 1041
15.7x25.6x9.8 - 661	19.7x25.6x15.7 - 1351
19.7x19.7x9.8 - 651	23.6x19.7x15.7 - 1241
19.7x25.6x9.8 - 851	23.6x25.6x15.7 - 1631

Stackable basket divider sizes

11.8x9.8
15.7x9.8
19.7x9.8
23.6x9.8
19.7x15.7
23.6x15.7




Characteristic :-

- Two models:1. VR, with bottom cabinet made up from metal wire rod2. CH, with bottom cabinet made up from sheet metal
- Top Desk structure made of steel sheet coated in epoxy color.
- Bottom Cabinet with front door.
- The metal wire rod model has a mesh size of 5.5" × 2.2", coated in colored epoxy.
- Same key for the desk top and cabinet locks.
- Four swivel casters Dia 4", Two with brake mechanism.Accessories
- Adjustable shelf height, epoxy coated.
- For the VR Top desk, metal wire rod shelf.
- For the CH Top desk, sheet metal shelf.



OUR WORLD WIDE REACH



- | | | | |
|--------|---------|-----------|--------|
| USA | Belgium | Russia | India |
| UK | Italy | Australia | Kuwait |
| France | Dubai | Oman | |


OUR ESTEEMED CLIENTS



Contact:- +91 9004476125 / 7400161116

Website:- www.jrdretailsolutions.com

THE INTEGRAL LINK OF YOUR SUPPLY CHAIN



COMPLETE INNOVATIVE SOLUTIONS FOR STORE FITTINGS